

Table 1.10
SEER Incidence and U.S. Mortality Trends by Primary Cancer Site and Sex
Blacks, 2002-2011

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
All Sites	-1.0*	-1.9*	-0.2			
Oral Cavity & Pharynx:	-2.5*	-2.9*	-1.7			
Lip	-	-	-			
Tongue	-1.2	-1.2	-1.2			
Salivary gland	-0.9	-0.8	-1.1			
Floor of mouth	-6.5*	-6.7*	-5.4*			
Gum & other oral cavity	-3.7*	-5.5*	-1.5			
Nasopharynx	-3.1*	-2.9	-3.3			
Tonsil	-1.1	-1.3	-0.3			
Oropharynx	-0.2	-0.1	-			
Hypopharynx	-5.0*	-5.2*	-4.4			
Other oral cavity & pharynx	-3.9	-6.8*	-			
Digestive System:	-1.5*	-1.5*	-1.6*			
Esophagus	-4.5*	-4.8*	-3.7*			
Stomach	-2.1*	-3.1*	-1.1			
Small intestine	2.1*	1.9	2.4			
Colon & Rectum:	-2.7*	-2.8*	-2.7*			
Colon	-3.1*	-3.3*	-3.0*			
Rectum	-1.3*	-1.0	-1.8*			
Anus, anal canal & anorectum	2.3*	3.3*	1.2			
Liver & intrahepatic bile duct	3.4*	3.6*	2.5*			
Gallbladder	1.1*	3.7	0.9			
Other biliary	2.4*	2.0	2.8			
Pancreas	-0.2	0.3	-0.5			
Retroperitoneum	0.5	-	-0.4			
Peritoneum, omentum & mesentery	-0.4	-	0.2			
Other digestive system	2.6	6.0	-0.2			
Respiratory System:	-2.0*	-2.8*	-0.8			
Nose, nasal cavity & middle ear	-1.7	-2.1	-0.6			
Larynx	-3.5*	-3.5*	-3.5			
Lung & bronchus	-1.9*	-2.8*	-0.7			
Pleura	-	-	-			
Trachea & other respiratory organs	-	-	-			
Bones & joints	-1.5	-1.4	-1.0			
Soft tissue (including heart)	-0.4	-1.5	0.6			
Skin (excl. basal & squamous):	-1.1	-1.2	-1.0			
Melanoma of the skin	-0.9	-2.4	-0.1			
Other non-epithelial skin	-1.1	-0.2	-1.8			
Breast	0.3	1.5	0.5			
Breast (<i>in situ</i>)	2.2*	-	2.3*			

The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

* The APC is significantly different from zero (p<.05).

- Statistic could not be calculated. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.10 - continued
SEER Incidence and U.S. Mortality Trends by Primary Cancer Site and Sex
Blacks, 2002-2011

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
Female Genital System:	-0.1	-	0.1			
Cervix uteri	-3.4*	-	-3.3*			
Corpus uteri	2.2*	-	2.4*			
Uterus, NOS	3.8	-	4.1			
Ovary ^c	-1.6*	-	-1.4*			
Vagina	-2.0	-	-1.9			
Vulva	-0.8	-	-0.7			
Other female genital system	1.5	-	1.2			
Male Genital System:	-2.0*	-2.5*	-			
Prostate	-2.0*	-2.5*	-			
Testis	0.7	0.6	-			
Penis	-1.1	-1.2	-			
Other male genital system	-	-	-			
Urinary System:	1.3*	1.2	1.2*			
Urinary bladder	-0.5	0.1	-1.8*			
Kidney & renal pelvis	2.7*	2.1*	3.2*			
Ureter	-2.3	-	-			
Other urinary system	2.1	-	-			
Eye & Orbit	-1.2	-	-			
Brain & Nervous System: ^d	-0.3	-0.5	0.1			
Brain	0.2	-0.3	0.8			
Cranial nerves & other nervous system	-4.6	-3.8	-4.8			
Endocrine System:	5.5*	3.8*	6.0*			
Thyroid	5.9*	4.2*	6.3*			
Other endocrine & thymus	2.5	2.4	2.2			
Lymphoma:	-0.2	-0.3	-0.1			
Hodgkin lymphoma	0.9	1.1	0.4			
Non-Hodgkin lymphoma	-0.3	-0.5	-0.2			
Myeloma	0.4	-0.3	0.8			
Leukemia:	-1.0	-1.3	-0.8			
Lymphocytic:	-1.8*	-2.2	-1.6			
Acute lymphocytic	1.2	1.0	1.1			
Chronic lymphocytic	-2.7*	-3.2*	-2.4*			
Other lymphocytic	-0.9	-	-			
Myeloid & Monocytic:	0.4	0.1	0.7			
Acute myeloid	1.0	0.8	1.2			
Chronic myeloid	0.3	-0.7	1.5			
Acute monocytic	-5.0*	-	-			
Other myeloid & monocytic	-	-	-			
Other leukemia:	-5.2*	-4.1	-6.2			
Other acute leukemia	-7.3*	-	-			
Aleukemic, subleukemic & NOS	-4.0	-3.3	-3.6			
Kaposi Sarcoma ^e	-1.3	-1.4	-			
Mesothelioma ^e	0.5	-0.2	-			
Ill-defined & unspecified	-3.3*	-3.7*	-2.9*			

The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^c Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

^d Due to coding changes, Brain & Nervous System mortality are no longer shown separately.

^e Trend not shown for mortality. Category did not exist in mortality coding until 1999.

* The APC is significantly different from zero (p<.05).

- Statistic could not be calculated. Trend based on less than 10 cases for at least one year within the time interval.